## **U-Series Universal Mount Heat Sinks**

For all kinds of device packages



**Smart Heatsinks®, Inc.** introduces U-series (Universal), high performance, low cost and versatile heat sink with screw or clip for all kinds of standard packages. This type of heat sink provides both vertical and horizontal mounting options on PCB to accommodate natural and forced convection cooling

## **FEATURES AND BENIFITS**

#### • Minimum assembly cost and labor

Spring Clips make the mounting holes and fasteners obsolete in assembly operations & reduce costs.

#### • Dual Modes Thermal Transfer

Efficient cooling with either natural or forced convection heat transfer mode by different orientation mounting.

#### • Design Flexibility

Universal mountable and "one fits all" give designers total freedom to fit their packaging designs with ideal device pak style and to orient the heat sink to meet their power dissipations with optimized cooling method.

#### **SPECIFICATOINS**


**Heat Sink**: Aluminum Alloy 6063-T5 or Equivalent with either degreased or black anodized finish.

**Spring Clip**: Music Wire, Per ASTM A228 with bright nickel plating


**Solder Foot**: Cold-rolled Steel, Per ASTM A-366 with pure tin over copper strike. RoSH compliant.

**Insulator** (Optional): t-Global H48-1, L37-3F and H48-6S. The thickness of the insulating material not to exceed 10 mil (0.01").


#### THERMAL PERFORMANCE



## UV- 1S-38-D/B & UV- 1C-38-D/B - Vertical



## UV-2S-38-D/B Vertical & Horizontal





## **U-Series Universal Mount Heat Sinks**




## For all kinds of device packages


Heat Sink	Surface Area	Weight	Accessory
Part Number	(in² / mm²)	(oz/g)	
UV -1S -39-D UV -1S -39-B UV -0S -39-D UV -0S -39-B UV -2S -39-D UV -2S -39-B	39.6/25,546	1.48/42	1 screw, nut and washers No screw. Use spring clip 2 screws, nuts & washers

eat Sink	Surface Area	Weight	Accessory
Part Number	(in² / mm²)	(oz/g)	
VH -1S -39-D VH -1S -39-B VH -0S -39-D VH -0S -39-B VH -2S -39-D VH -2S -39-B	39.6/25,546	1.48/42	1 screw, nut and washers No screw. Use spring clip 2 screws, nuts & washers

## **LAND PATTERN**



### **LAND PATTERN**





## UH- 1S/2S-38-D/B & UH- 1C-38-D/B-Horizontal



# STANDARD PART NUMBER FOR U - SERIES HEATSINKS


Part Number	Descriptions	Packaging
UV-1S-39-D	Vertical Heatsink, degreased	Bulk
UV-1S-39-B	Vertical Heatsink, black	Bulk
UV-0S-39-D	Vertical Heatsink, degreased	Bulk
UV-0S-39-B	Vertical Heatsink, black	Bulk
UV-2S-39-D	Vertical Heatsink, degreased	Bulk
UV-2S-39-B	Vertical Heatsink, degreased	Bulk
UH-1S-39-B	Horiz Heatsink, degreased	Bulk
UH-1S-39-B	Horiz Heatsink, black anodiz	Bulk
UH-0S-39-D	Horiz Heatsink, degreased	Bulk
UH-0S-39-B	Horiz Heatsink, black anodiz	Bulk
UH-2S-39-D	Horiz Heatsink, degreased	Bulk
UH-2S-39-B	Horiz Heatsink, black anodiz	Bulk







## One Heat sink fits all the kinds of packages



## **U-Series Universal Mount Heat Sinks**

For all kinds of device packages



# The Different Packages Assembled on Heat Sink By Fasteners or Clips

